### MX204 Datasheet





### Overview

MX204 is a Juniper MX204 chassis with 3 fan trays and 2 power supplies incl. Junos. The SDN-ready MX204 Universal Routing Platform is a cloud-grade routing platform that offers you ultra-high density and throughput in a space- and power-optimized package. The MX204 addresses the emerging edge and metro Ethernet networking needs of service providers, mobile, web-scale operators, and MSOs by delivering 400 Gbps of throughput in support of high-density 10GbE, 40GbE, and 100GbE interfaces—all in just one rack unit.

#### **Quick Spec**

Table 1 shows the quick spec.

SKU	MX204
Description	Juniper MX204 chassis with 3 fan trays and 2 power supplies incl. Junos
System Capacity	400 Gbps
Switch Fabric Capacity per Slot	N/A
DPCs and/or MPCs per Chassis	Built-in
Chassis per Rack	42
Dimensions (W x H x D)	17.6 x 1.75 x 18.7 in (44.7 x 4.45 x 47.5 cm)
Mounting	Four-post rack

#### **Product Details**

Figure 1 shows the front panel of MX204 chassis.



Figure 2 shows the rear panel of MX204 chassis with AC power supply.



#### **Compare to Similar Items**

Table 2 shows the comparison.

SKU	MX204	MX204-IR	MX204-R
Description	Juniper MX204 chassis with 3 fan trays and 2 power supplies incl. Junos	MX204 chassis with 3 fan trays and 2 power supplies, IR mode	MX204 chassis with 3 fan trays and 2 power supplies, R mode
System Capacity	400 Gbps	400 Gbps	400 Gbps
Switch Fabric Capacity per Slot	N/A	N/A	N/A
DPCs and/or MPCs per Chassis	Built-in	Built-in	Built-in
Chassis per Rack	42	42	42
Dimensions (W x H x D)	17.6 x 1.75 x 18.7 in (44.7 x 4.45 x 47.5 cm)	17.6 x 1.75 x 18.7 in (44.7 x 4.45 x 47.5 cm)	17.6 x 1.75 x 18.7 in (44.7 x 4.45 x 47.5 cm)
Mounting	Four-post rack	Four-post rack	Four-post rack

#### Table 3 License Variants for MPCs

License	How to Identify	Description
Base	No special suffix in the license name.	<ul> <li>All Layer 2, Layer 2.5, and Layer 3 features.</li> <li>Up to 32 Layer 3 routing instances of the virtual routing and forwarding (VRF) instance. The VRF support includes Layer 3 VPN (L3VPN).</li> <li>Up to 2 million routes in the forwarding information base (FIB), provided there is hardware support. (FIB is also known as forwarding table.)</li> <li>Up to 6 million routes in the routing information base (RIB), also known as routing table.</li> </ul>
IR	-IR suffix in the license name.	<ul> <li>All Layer 2, Layer 2.5, and Layer 3 features.</li> <li>Up to 32 Layer 3 routing instances of the virtual routing and forwarding (VRF) instance. The VRF support includes Layer 3 VPN (L3VPN).</li> </ul>
R	-R suffix in the license name.	• Full-scale Layer 2, Layer 2.5, and Layer 3 features. Scale is determined by the hardware capabilities.

### Get more information

Do you have any question about the MX204?

Contact us now via **Live Chat** or support@netgenetics.com

# Specification

MX204 Specification		
Description	Juniper MX204 chassis with 3 fan trays and 2 power supplies incl. Junos	
Slots	8 10GbE, 4 100GbE	
Maximum 1GbE	24	
Maximum 10GbE	24	
Maximum 40GbE	4	
Maximum 100GbE	4	
System Capacity	400 Gbps	
Switch Fabric Capacity per Slot	N/A	
DPCs and/or MPCs per Chassis	Built-in	
Chassis per Rack	42	
Dimensions (W x H x D)	17.6 x 1.75 x 18.7 in (44.7 x 4.45 x 47.5 cm)	
Maximum Weight	23.15 lbs / 10.5 kg	
Mounting	Four-post rack	
Power Options	100 V to 240 V AC -40 V to -72 V DC	
Operating Temperature	32° to 131° F (0° to 55° C)	
Humidity	5 % to 90% RH, operating, noncondensing	
Altitude	6000 ft	

## Want to Buy

Order Now

Get a Quote

# Why Netgenetics.com

As a leading network hardware supplier, NetGenetics offers a large base of network hardware products from top manufactures like Juniper, Cisco, Dell, Arista, Aruba etc.



Call: 877-263-8436

### Contact Us